

INDEX MAPS.

T. 29N, R. 2W. 2<sup>nd</sup> Mer.

	458	458	458	457	457	456
461	6	484 5	477 4	473 3	469 2	465 1 456
	<del>484</del>	<del>483</del>	<del>477</del>	<del>472</del>	<del>468</del>	<del>464</del>
460	7	483 8	476 9	472 10	468 11	464 12
	<del>483</del>	<del>482</del>	<del>476</del>	<del>471</del>	<del>468</del>	<del>464</del>
460	18	481 17	475 16	471 15	467 14	463 13 455
	<del>481</del>	<del>481</del>	<del>475</del>	<del>471</del>	<del>467</del>	<del>463</del>
460	19	480 20	475 21	470 22	467 23	463 24 455
	<del>480</del>	<del>479</del>	<del>474</del>	<del>470</del>	<del>466</del>	<del>462</del>
459	30	479 29	474 28	470 27	466 26	462 25 454
	<del>478</del>	<del>478</del>	<del>474</del>	<del>469</del>	<del>465</del>	<del>461</del>
459	31	477 32	473 33	469 34	465 35	461 36 454
	453	453	453	452	452	452

Readers 485

T. R. Mer.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

The figures on the lines refer to the page.

# Township 29 North Range 2 West 2<sup>nd</sup> Mer.

## Indiana,

C. L. South Boundary, (Var. 4° 55' E.)  
 West On the South side of sec. 36,  
 40.00 Set the gr. sec. cor. post from which  
     a W. Oak 3 in. dia., bears N 58 E 29 1/2 m. dia.,  
     & a G. Oak 20 " " " S 82 E 37 " "  
 55.00 To a stream 50 lks. wide cor. S. W.,  
 79.00 " the same " " " " N. W.,  
 80.00 Set a post cor. to sec. 35 & 36 from which  
     a G. Oak 20 in. dia., bears N 86 W 50 1/2 m. dia.,  
     no other tree near or convenient,  
 Land level soil good & the timber is W  
 & Br. Oak &c

---

West On the S. side of sec. 35  
 14.50 To a stream 50 lks. wide cor. S. W.,  
 25.00 " the same " " " " N. W.,  
 40.00 Set the gr. sec. cor. post from which  
     a G. Oak 10 in. dia., bears N 89 E 48 1/2 m.,  
     & no other tree near  
 50.00 To a stream 60 lks. wide cor. S. W.,  
 68.78 " a W. Oak 14 in. dia., in the line,  
 80.00 Set a post cor. to sec. 34 & 35 from wh.,  
     a W. Oak 10 in. dia., bears N 58 E 25 1/2 m.,  
     & a G. Oak 30 " " " N 61 W 84 " dia.,  
 Land &c is same as on last mile,

---

West On the S. side of sec. 34  
 16.83 To a G. Oak 24 in. dia., in the line,  
 24.00 To a stream 60 lks. wide cor. N. W.,  
 40.00 Set the gr. sec. cor. post from which  
     a Hickory 10 in. dia., bears S 66 E 19 1/2 m. dia.,  
     & a G. Oak 10 " " " N 54 E 44 1/2 " "



T. 29 N. R. 2 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

C. L.

80.00 Set a post cor. to sec. 33 & 34 from wh.  
 a W. Oak 20 in. dia. bears North 189<sup>th</sup> dir.,  
 & a G. Oak 20 " " " N 88<sup>1</sup>/<sub>2</sub> W 297 " "  
 Land level soil good & the timber is W. G. Br. Oak,

Post On the S. side of Sec. 33,  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 24 in. dia. bears N 21 W 559<sup>th</sup>,  
 & a Do. 12 " " " N 40 W 613 " dir.,  
 80.00 Set a post cor. to sec. 32 & 33, fr. wh.,  
 a G. Oak 30 in. dia. bears N 18 W 93<sup>th</sup> dir.,  
 & a W. Oak 10 " " " N 65 E 459 " "  
 Land is low & sec. rate & thinly timbered  
 with Oak, &c.

Post On the S. side of sec. 32,  
 13.43 To a W. Oak 20 in. dia. in the line,  
 27.57 " " Do. 12 " " " " "  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 18 in. dia. bears N 26 E 88<sup>th</sup>,  
 & a Do. 10 " " " N 72 E 101 " dir.,  
 68.14 To a W. Oak 13 " " in the line,  
 80.00 Set a post cor. to sec. 31 & 32 from wh.,  
 a W. Oak 20 in. dia. bears N 24 W 353<sup>th</sup>,  
 & a Do. 20 " " " N 44<sup>1</sup>/<sub>2</sub> E 272 " dir.,  
 Land &c. is much the same as last mile

Post On the S. side of sec. 31,  
 7.17 To a W. Oak 20 in. dia. in the line,  
 17.47 " " Do. 28 " " " " "  
 40.00 Set the gr. sec. cor. post from which  
 a Br. Oak 12 in. dia. bears S 35 E 262<sup>th</sup>,  
 & a Hickory 10 " " " N 77 E 419 " dir.

T. 29 N. R. 2 W. 3<sup>rd</sup> Mer. Ind<sup>a</sup>,

C. L.

56.64 To a G. Oak 20 in. dia. in the line,

77.50 " the N. E. corner of Town 28 N. R. 3 W.

82.00 Set a post cor. to Town 29 N. R. 2 W. 3 W.

a Br. Oak 8 in. dia. bears N 54<sup>1</sup>/<sub>2</sub> W 13 1/2 th. dist,a W. Oak 10 " " " N 62<sup>1</sup>/<sub>2</sub> W 21 " "

Land level soil good &amp; the timber is W &amp;

G. Oak &amp; Hickory. &amp; the mud. 9th. now,

Var. 4<sup>3</sup>/<sub>4</sub> 55 E, Dev. 3<sup>o</sup> 1833. —

Surveyed by Sylvester Sibley P. S.

## East Boundary. (V. 57 25 E.)

North On the E. side of sec. 36

a G. Oak 14 in. dia. bears N 74 W 263 th. dist. &amp;

a Do. 10 " " " S 36 269 " "

13.50 Entered a marsh

15.00 To a Brook 20 th. wide en. W. S. W.

23.50 Leave the marsh

40.00 Set the gr. sec. cor. post from which

a W. Oak 10 in. dia. bears S 2 W 64 th. dist,

a G. Oak 16 " " " N 86<sup>1</sup>/<sub>2</sub> W 101 " "

80.00 Set a post cor. to sec. 25 &amp; 36 from wh.

a W. Oak 14 in. dia. bears S 24<sup>1</sup>/<sub>2</sub> W 27 th.

a Red Oak 10 " " " S 50 W 47 " dist,

Land is level barren & very thinly  
timbered with W. & G. Oak. many low places

North On the E. side of sec. 25

15.70 To a W. Oak 8 in. dia. in the line,

40.00 Set a gr. sec. cor. post from which

a Hickory 12 in. dia. bears S 26 W 249 th. dist,

a Red Oak 14 " " " S 17<sup>1</sup>/<sub>2</sub> W 204 " "

54.00 Entered a marsh

57.00 Leave the do. current of water W.

455.

T. 29 N. R. 2 W. 3<sup>rd</sup>. New. Ind?

C. L.

58.00

Enter the W. end of large dry prairie

75.00

Leave the same,

80.00

Set a post cor. to sec. 24 & 25 from wh,  
a W. Oak 9 m. dia., bears S 50 $\frac{1}{2}$  W 90 lks. dist,  
& a Hickory 8 " " " N  $\frac{1}{2}$  W 131 " "

Land & prairie similar prairie good  
soil some stony - level h. Dec. 1<sup>st</sup> 1853,

North

On the E. side of sec. 24.

25.00

Enter dry prairie

40.00

Set the gr. sec. cor. post from which.

a W. Oak 16 m. dia., bears at S 7 $\frac{3}{4}$  W 59 lks.,  
& a G. Oak 18 " " " N 25 $\frac{1}{2}$  W 61 $\frac{1}{4}$  dist,

50.00

Leave the prairie

70.00

Enter dry prairie again

80.00

Set a post cor. to sec. 13 & 24 from wh,

a Red Oak 9 m. dia., bears S 60 $\frac{1}{4}$  W 609 lks.,  
& a Br. Oak 2 " " " N 22 $\frac{3}{4}$  E 315 dist,

Land level & good soil, & Barren very  
thinly timbered with small Oaks & Hickory  
Prairie level & some stony.

North

On the E. side of sec. 13,

40.00

Set the gr. sec. cor. post from wh,  
no bearings - where raised a mound

80.00

Set a post cor. to sec. 12 & 13.

a Red Oak 14 m. dia., bears at S 28 $\frac{1}{2}$  E 191 lks., -  
& a Do. 14 " " " N 68 $\frac{3}{4}$  W. 324 dist,

Land level prairie good soil, some  
plains rather low for cultivation, & some  
stone on the surface, called "hard heads".

North

On the E. side of sec. 12. -

456

T. 29 N. R. 2 W. 2<sup>d</sup>. Mer. Ind<sup>a</sup>

- C. S.  
44.00 Leave dry prairie & Enter marsh  
17.00 " marsh & Ent. bearing  
27.36 To a W. Oak 13 in. dia., with the line,  
44.00 Set the gr. sup. cor. post from which  
a W. Oak 28 in. dia. bears N 61 $\frac{3}{4}$  W 101 $\frac{1}{4}$  ft.,  
& a Do. 16 " " " S 68 $\frac{3}{4}$  W 270 "  
65.00 To a dry prairie  
80.00 Set a post cor. to sec. 1 & 12 from wh.  
a Bri Oak 9 in. dia. bears S 39 $\frac{1}{2}$  W 77 $\frac{1}{2}$  ft.,  
& a Do. 18 " " " N 67 $\frac{1}{2}$  E 288 "  
Bearing good soil. Prairie is a short  
distance to the West. very thin, timber?  
Prairie is good soil. the E. margin of  
extensive prairie —

- 
- North On the E. side of sec. 1.  
20.00 Enter a wet prairie  
40.00 Set the gr. sup. cor. post in prairie wet  
where raised a mound  
75.12 To Town cor. T. 29 & 30 N. R. 2 W,  
a Q. Oak 18 in. dia. bears N 15 $\frac{1}{2}$  E 97 $\frac{1}{2}$  ft.,  
& Raised a mound in marsh,  
This mile is through a large prairie  
about half of which is wet. The dry  
part is elevated from 1 to 3 ft. higher  
than the wet, Var. S. 25 $\frac{1}{2}$  E.  
Dec. 1<sup>st</sup> 1833, Surveyed by  
Clark H. Sibley Dep. Sur.<sup>r</sup>

- 
- North Boundary. (Var. S. 25 $\frac{1}{2}$  E.)  
West On the S. side of Sec. 36 T. 30 N. R. 2 W  
40.00 Set gr. sup. cor. post in prairie  
where raised a mound



T. 29 N. R. 2 W. 2<sup>nd</sup>, New Ind.

6.00  
 56.00 Leave prairie, some dry places, generally wet  
 70.66 To a G. Oak 18 in dia, in the line,  
 80.00 Set a post cor. to secs. 35 & 36 from wh,  
 a W. Oak 13 in dia, bears N 50 E 48 lks, dist 4,  
 & a River R. Oak 5 " " N 62 1/2 W 66 " "  
 West of prairie rolling, bearing poor soil  
 thinly timbered with Pin Oak chiefly,

Met On the S. side of sec. 35 T 30 N R 2 W  
 2.00 Enter a wet prairie  
 40.00 Set the gr. sec. cor. post from which  
 a R. Oak 18 in dia, bears N 2 1/4 W 27 1/4 lks,  
 & a Do, 17 " " " N 4 E 32 1/2 "  
 80.00 Set a post cor. to secs. 34 & 35 from wh,  
 a W. Oak 14 in dia, bears N 23 1/4 W 24 1/2 lks,  
 & a Do, 26 " " " N 85 1/2 W 27 1/2 " dist,  
 Land is mostly a wet prairie & some  
 parts covered with water, (Var. S. 25 E.)  
 Sec. 2<sup>nd</sup> 1833. Surveyed by  
 Clark & Sibley, Dep. Sur.

Met On the S. side of Sec 34 T 30 N R 2 W  
 23.57 To a W. Oak 18 in dia, in the line,  
 31.19 To a Red Oak 8 " " " " "  
 cor. on Left bank of Tippecanoe River,  
 40.00 Over & set post on R. bank, & for 1/4 sec. cor,  
 a Spruce 6 in dia, bears S 50 E 20 lks, dist,  
 & a W. Oak 12 " " " N 80 W 66 " "  
 72.48 To a G. Oak 14 " " in the line,  
 80.00 Set a post cor. to secs. 33 & 34 from wh,  
 a W. Oak 10 in dia, bears N 67 E 43 lks dist,  
 & a Do, 10 " " " N 10 W 84 " "  
 Land rolling soil good & the timber Oak,



S. 29 N. R. 2 W. 2<sup>nd</sup> Mer. Ind.

C. L.

- West On the S. side of sec. 33 T30 NR2W  
 11.66 To a Red Oak 10 in. dia. in the line,  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 10 in. dia. bears N83 E 105 lks.,  
 & a Br. Oak 10 " " " N77 W 250.  
 58.72 To a W. Oak 14 " " in the line,  
 66.10 To a Brook 10 lks. wide cor. S. E.,  
 80.00 Set a post cor. to sec. 32 & 33 from wh.,  
 a W. Oak 10 in. dia. bears N40 E 121 lks. dia.,  
 & a Do. 12 " " " N76 W 71 " "  
 Land is same as on last mile,

- West On the South side of sec. 32,  
 23.20 To a G. Oak 18 in. dia. in the line,  
 24.50 Enter a wet prairie  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 20 in. dia. bears N89 W 15.2 lks.,  
 no other tree near  
 53.50 Leave the wet prairie  
 80.00 Set a post cor. to sec. 31 & 32 from wh.,  
 a G. Oak 10 in. dia. bears N36 E 50 lks. dia.,  
 & a Do. 10 " " " N84 1/2 W 34 " "  
 Land is same as on last mile,

- West On the S. side of sec. 31, T30 NR2W  
 6.00 Enter a wet prairie  
 40.00 Set the gr. sec. cor. post from which  
 a G. Oak 20 in. dia. bears N59 W 143 lks.,  
 & a Do. 20 " " " N73 W 172.  
 41.00 Leave the wet prairie  
 50.00 Enter a wet prairie  
 81.66 To the W. boundy, 13.45 lks. S. of tempy.  
 town corner, set post cor. S. 29 & 30 S. R.

T. 29 N. R. 2 W. 2<sup>nd</sup> Mer. Ind.

C. Sec. 2 & 3 W. 2<sup>nd</sup> Mer. Indiana from which  
 a W. Oak 20 in. dia. bears N 24 W 460 lks. dist.  
 & a G. Oak 12 " " " N 6 E 704 " "  
 Land is mostly wet prairie. Timber, Oak,  
 (Var. 5° 25' E.) By observation at this cor.  
 found var. to be 5° 35' E., Dec. 7<sup>th</sup> 1833.  
 Surveyed by Clark & Sibley. Dep. Sur.

## West Boundary, (Var. 5° 27' E.)

North On the E. side of sec. 36. T. 29 N. R. 3 W.  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 10 in. dia. bears S 6½ W 52 lks. dist.  
 & a Hickory 10 " " " N-W 308 " "  
 64.25 To Tippecanoe River & set post on left bank  
 a Maple 12 in. dia. bears S 40½ E 40 lks. dist.  
 & a G. Birch 10 " " " S 40½ W 62 " "  
 68.80 Over to Right bank of River & set post fr. wh.  
 a G. Oak 18 in. dia. bears N 79 W 83 lks. dist.  
 & a Do. 20 " " " N 43 E 53 " "  
 Land rolling & first rate banners & the  
 timber is G. W. & Br. Oak, & M. G. same.  
 80.00 Set a post cor. to secs. 25 & 36 from which  
 a G. Oak 10 in. dia. bears S 49 W 149 lks. dist.  
 & a Do. 10 " " " S 82 W 256 " "

North On the E. side of sec. 25 T. 29 N. R. 3 W.  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 30 in. dia. bears N 27 W 388 lks.  
 & a G. Oak 20 " " " S 8½ E 152 " dist.  
 72.50 To a G. Oak 18 " " in the line,  
 80.00 Set a post cor. to sec. 24 & 25 from wh.  
 a G. Oak 18 in. dia. bears N 72 W 34 lks. dist.  
 & a Do. 18 " " " S 29½ W 144 " "

460

T. 29 N. R. 2 W. 2<sup>nd</sup>, New, Ind.

C. L. Land is rolling & 2<sup>nd</sup> rate & the timber, is W. & Y. Oak &c

---

North On the E. side of sec. 14. T. 29 N. R. 3 W

4.37 To a G. Oak 20 in. dia. in the line,

31.00 To a Brook 6 ft. wide on E,

40.00 Set the gr. sec. cor. post from which  
a W. Oak 10 in. dia. bears S 78° W 52 ft.,  
& a Do. 20 " " " S 59° W 114 "

45.75 To a G. Oak 18 " " in the line,

71.00 To an Indian trail on N. E,

80.00 Set a post cor. to sec. 13 & 24 from wh.,  
a G. Oak 20 in. dia. bears N 39° W 45 ft.,  
& a Do. 20 " " " S 31° E 41 "

Land is same as on last mile,

---

North On the E. side of sec. 13. T. 29 N. R. 3 W

40.00 Set the gr. sec. cor. post from which  
a G. Oak 12 in. dia. bears S 15° W 44 ft.,  
& a W. Oak 8 " " " N 44° W 71 "

46.00 Enter a wet prairie

80.00 Set a post cor. to sec. 12 & 13 from wh.,  
a G. Oak 28 in. dia. bears N 5½° W 76.3 ft.,  
& no other tree near

South part Land is rolling & 2<sup>nd</sup> rate,  
& thinly timbered with G. & W. Oak &c,

---

North On the E. side of sec. 12 T. 29 N. R. 3 W

6.00 Leave the wet prairie

40.00 Set the gr. sec. cor. post from which  
a W. Oak 18 in. dia. bears S 28° W 105 ft.,  
& a Do. 20 " " " N 85° W 159 "

41.00 Enter a wet prairie

T. 29 N. R. 2 W. 2<sup>nd</sup> New Ind.

61.21

59.00 Leave the wet prairie

80.00 Set a post cor. to sec. 1812 from which  
 a W. Oak 12 in. dia. bears N 65° W 37 1/2 Mi. dist.  
 & a Do. 14 " " " S 44° W 22 3/4 " "  
 Land &c is same as on last mile,

North On the E. side of sec. 1229 N 63 W

1.00 Enter a wet prairie

40.00 Set the gr. sec. cor. post from which  
 a W. Oak 12 in. dia. bears N 6° W 59 1/4 Mi.  
 & no other tree near,

70.00 Leave the wet prairie

80.00 Set a Lumpy Town corner .. (13.47 South towards)  
 Land is mostly wet prairie & a few Oaks,  
 Dec. 6<sup>th</sup>, 1833, (Var. 5° 27' E.)  
 Surveyed by Clark & Sibby D. S.,

## Subdivisions,

North Between sections 35 &amp; 36,

24.88 To a B. Oak 20 in. dia. in the line,

34.03 " " Do. 6 " " " " "

40.00 Set the gr. sec. cor. post from which  
 a W. Oak 24 in. dia. bears S 23 1/2° E. 440 Mi. dist.  
 & a Do. 6 " " " N 45° E 323 " "

80.00 Set a post cor. to Secs. 25-26, 35 & 36  
 a B. Oak 30 in. dia. bears N 51° E 308 Mi.  
 & a W. Oak 24 " " " S 39° W 300 "  
 Land is level & 3/4 rate bearing & there  
 is scarce W. B Oak &c,

East On Random between sec. 25 &amp; 36

80.57 To the E. line of sec. 26 9 Mi. N. of post



T. 29. N. R. 2 W. 3<sup>d</sup>. Nov. Ind.

Co. L.  
 West Correct the line between sec. 25 & 26  
 17.44 To a B. Oak 20 in. dia. in the line,  
 40.28½ Set the gr. sec. cor. post from which  
 a W. 25 in. dia. beam S 26 W 259 lks. dist,  
 & a Do. 30 " " " S 10 W 150 " "  
 59.34 To a W. Oak 15 in. dia. in the line,  
 59.05 " " B. Oak 20 " " " " "  
 80.57 " the section corner, Land is level &  
 third rate barrens, & the timber is scarce  
 B & W. Oak, and, 9th, same where is any

North Between sections 25 & 26,  
 6.90 To a W. Oak 30 in. dia. in the line,  
 40.00 Set the gr. sec. cor. post from which  
 a B. Oak 20 in. dia. beam S 6½ W 50 lks.,  
 & a Do. 25 " " " S 68 E 100 " dist,  
 80.00 Set a post cor. to sec. 23, 24, 25 & 26,  
 a B. Oak 30 in. dia. beam N 40 E 155 lks.,  
 & a W. Oak 40 " " " S 81 W 106 "  
 Land is mostly wet barrens, scarce of  
 timber. B. & W. Oak &c

East On Random between sections 24 & 25  
 80.30 To the Range line 240 lks. N. of post,

West Correct the line between sec. 24 & 25  
 40.15 Set the gr. sec. cor. post from which  
 a Hickory 8 in. dia. beam S 6 W 105 lks.,  
 & a Do. 6 " " " S 37 W 1¼ " dist,  
 80.30 To the section corner,  
 Land level wet barrens 3<sup>d</sup> rate & the  
 timber is scattering Hickory B & W Oak  
 April 2<sup>d</sup> 1834. (no prairie.)



T. 29 N. R. 2 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

Co. L.

North Between sections 33 &amp; 34

- 4.24 To a W. Oak 24 in. dia. in the line,  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 12 in. dia. bears N 86° 17' 0" W. 170 ft. dist,  
 & a Do. 15 " " " N 38° W 243 " "  
 40.34 To a W. Oak 15 " " in the line,  
 42.82 " " Do. 15 " " " " "  
 80.00 Set a post cor. to sec. 13, 14, 23 & 24 fr. wh.,  
 a B. Oak 25 in. dia. bears N 69° W 813 ft.,  
 & a Do. 15 " " " N 86° W 663 " dist  
 Land surveyed bearing record of timber  
 of any kind, a few Br. Hickory & B. Oak,

East On Random between sections 13 &amp; 34

- 80.61 To the E. line of sec. 23 9 ft. N. of post,

West Correct the line between Secs. 13 &amp; 34

- 18.25 To a W. Oak 12 in. dia. in the line,  
 40.30½ Set the gr. sec. cor. post in pond,  
 a W. Oak 12 in. dia. bears S 88° E 977 ft.,  
 & a B. Oak 24 " " " S 78° W 10.03 " dist  
 80.61 To the section corner, Land level  
 bearing West & but few trees

North Between sections 13 &amp; 14

- 32.71 To a B. Oak 30 in. dia. in the line,  
 40.00 Set the gr. sec. cor. post from which  
 a B. Oak 24 in. dia. bears S 76° W 25 ft.,  
 & a Br. Oak 10 " " " S 23½° E 47,  
 41.20 To a B. Oak 24 " " in the line,  
 80.00 Set a post cor. to sec. 11, 12, 13 & 14  
 a B. Oak 24 in. dia. bears S 52½° E 303 ft.,  
 & a Hickory 18 " " " S 35½° W 156 " dist,

T. 29 N. R. 2 W. 2<sup>nd</sup> Mer, Ind.

C. L.	Land level & 3 <sup>rd</sup> rate & the timber is Br. Oak Hickory, B. Oak. W. Oak &c. Barren,
East 81.05	On Random between sections 12 & 13, To the E. line of sec. 175 <sup>th</sup> M. N. of post,
West 40.52 81.05	Correct the line between sec. 12 & 13, Set the gp. sec. cor. post from which — no bearings. I could not raise a mound on account of water — To the sections corner, The whole of this line runs through low wet barren with but few trees of any kind; perhaps in summer when the water subsides, might not appear so disagreeable. There is at this time an unusual quantity of water all over this part of the country,
North 40.00 80.00	Between sections 11 & 12 Set a gp. sec. cor. post from which a Hickory 4 in. dia. N 65° W 332 <sup>th</sup> M. N. 1 <sup>st</sup> , & a W. Oak 6 " " S 73° W 454 <sup>th</sup> " " Set a post cor. to sec. 12 & 11 & 12, in plain, where raised a mound, wet barren & flag swamp. no timber,
East 81.00	On Random between sections 14 & 12 To the E. line of sec. 115 <sup>th</sup> M. N. of post,
West 40.50 81.00	Correct the line between sec. 14 & 12 Set gp. sec. cor. post in a mound To the sections corner,

S. 29 N. R. 2 W. 2<sup>nd</sup> New Ind.C. L.  
North

Between sections 1 &amp; 2

40.00 Set the gr. sec. cor. post from which  
a W. Oak 6 in. dia. bears N 58 E 606 th. dia.,  
+ a B. Oak 10 " " " N 53 W 106 " "

62.46 To a B. Oak 20 in. dia. in the line,

71.14 To the N. boundy. of Township 113 th. W.  
of post, when set a post cor. sec. 1 & 2,  
a W. Oak 20 in. dia. bears S 25 E 62 th. dia.  
+ a B. Oak 20 " " " S 62 W 110 " "

The whole of this line runs through  
wet bany, a few trees such as B. &  
W. Oak &c. April 3<sup>rd</sup> 1834. —

North Between sections 34 &amp; 35

11.00 To a W. Oak 20 in. dia. in the line,

40.00 Set the gr. sec. cor. post from which  
a B. Oak 30 in. dia. bears N 33 W 125 th.,  
+ a Do. 25 " " " N 28 E 262 "

44.92 To a Do. 20 " " in the line,

80.00 Set a post cor. to sec. 26, 27, 34 & 35,  
a B. Oak 30 in. dia. bears N 12 W 684 th. dia.,  
+ a Do. 25 " " " N 10 E 742 " "

The greater part of this line is wet bany  
& scattering trees of B. & W. Oak &c

East On Random between sections 26 &amp; 35

44.33 To a W. Oak 24 in. dia. in the line,

79.74 To the E. line of sec. 81 th. N. of post,

West Correct the line between sec. 26 &amp; 35

6.00 ascend a hill,

8.50 Descend the Do,

11.08 To a B. Oak 15 in. dia. in the line,

T. 29 N. R. 2 W. 2<sup>nd</sup>, New Ind<sup>a</sup>,

- 6.26 To a B. Oak 33 in. diam. in the line,  
 34.67 Set the gr. sec., cor. post from which  
 39.87 a W. Oak 18 in. diam. bears N 25 E 92 1/2 ft. dist.,  
 & a B. Oak 25 " " " S 45 1/2 E 94 " "  
 79.94 To the section corner,  
 The E. 1/2 of this mile is rolling banner  
 with some timber, 3<sup>rd</sup> rate & the timber is  
 W. B. Oak & W. 1/2 mile flag swamp &

- North Between sections 26 & 27,  
 19.00 To a B. Oak 30 in. diam. in the line,  
 40.00 Set the gr. sec., cor. post from which  
 a W. Oak 18 in. diam. bears S 54 E 138 ft.,  
 & a Do. 12 " " " S 77 W 150 " dist.,  
 42.02 To a B. Oak 25 " " in the line,  
 60.24 To a W. Oak 27 " " " "  
 80.00 Set a post cor. to sec. 22, 23, 26 & 27,  
 a B. Oak 20 in. diam. bears S 26 W 477 ft.,  
 & a W. Oak 15 " " " N 56 W 7.25 dist.,  
 Land mainly wet banner & scarce of  
 timber of any kind,

- East On Random between sections 23 & 26  
 80.19 To the E. line of sec. 16 th. N. of post,

- West Correct the line between sections 23 & 26  
 40.09 1/2 Set the gr. sec., cor. post from which  
 a B. Oak 6 in. diam. bears N 28 W 36 ft. dist.,  
 & a W. Oak 20 " " " S 62 E 60 " "  
 80.19 To the Section corner,  
 The whole of this line runs through  
 banner, scarce of timber, & the W. 1/2  
 runs entirely through a marsh,



E. 29 N. R. 3 W. 2<sup>nd</sup>. Nov. Ind<sup>a</sup>

Co. L.  
 North Between sections 22 & 23,  
 40.00 Set the gr. sec. cor. post from which  
     a Hickory 15 in dia, bears N 57° W 256 ft.,  
     a B. Oak - " " " N 21° E 614 ft.,  
 45.97 To a B. Oak 20 " " in the line,  
 54.03 " " Do. 18 " " " " "  
 70.22 " " Do. 20 " " " " "  
 80.00 " " W. Oak 18 " " for. cor. tree to sec. 14, 15  
     22, & 23. Do. 18 " " br. S 37° W 29 ft. N. 10 ft., &  
     a Do. 30 " " " S 33° E 62 " "  
 Land 2<sup>nd</sup> bearing & the timber is W & B,  
 Oak. had & the same where any is found

East On Random between sections 14 & 23,  
 80.81 To the E. line of sec. 19 the N. of post,

West Correct the line between sections 14 & 23,  
 40.40½ Set the gr. sec. cor. post from which  
     a W. Oak 12 in dia, bears S 65° W 36 ft. N. 10 ft.,  
     a B. Oak 25 " " " N 6½° W 67 " "  
 55.72 To a B. Oak 25 " " in the line,  
 80.81 To the sections corner, E½ mile is  
     2<sup>nd</sup> rate bearing & W½ sec. into land &  
     the timber is B. W. Oak & Hickory &c

North Between sections 14 & 15,  
 46.00 To a W. Oak 30 in dia, in the line,  
 37.61 To a B. Oak 30 " " " " "  
 40.00 Set the gr. sec. cor. post from which  
     a W. Oak 20 in dia, bears S 82° E 62 ft. N. 10 ft.,  
     a Do. 15 " " " S 87° W 31 " "  
 75.60 To a W. Oak 15 " " in the line,  
 80.00 Set a post cor. to sec. 10, 11, 14 & 15,



T. 29 N. R. 2 W. 2<sup>nd</sup>, E. 1<sup>st</sup> Ind.

61.51 a B. Oak 26 in. dia. bears S 25 E 460 ft.,  
 & a W. Oak 30 " " " N 4 1/2 W 84 " dia.,  
 Land bears & 3<sup>rd</sup> rate, scattering trees  
 & the timber is W. & B. Oak & the Mu. 2<sup>nd</sup> Gth,  
 same where there's any

East On Random between sections 11 & 14  
 80.93 To the E. line of sec. 175 ft. South of post

West Correct the line between sec. 11 & 14  
 40.46 Set the gr. sec. cor. post from which  
 a W. Oak 25 in. dia. bears at 24 W 350 ft.,  
 & a Do. 18 " " " S 82 E 588 " dia.,  
 69.42 To a B. Oak 18 " " in the line,  
 80.93 To the section corner, the W. 1/2 mile is entirely  
 low marshy bearing. E. 1/2 mile is sec. rate  
 & the timber is B. W. Oak &c.

North Between sections 10 & 11.

7.97 To a B. Oak 20 in. dia. in the line,  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 20 in. dia. bears at 70 W 650 ft.,  
 a large Rock — bears S 85 W 207 "  
 6.89 To a Creek 15 ft. wide cor. S. W.,  
 60.90 To a B. Oak 18 in. dia. in the line,  
 75.70 " " Br. Oak 40 " " " " "  
 80.00 To the section corner, set post for 33.10 & 11  
 a W. Oak 40 in. dia. bears S 17 E 560 ft. dia.,  
 & a Do. 30 " " " S 53 W 170 " "  
 Land is sec. rate level Br. Oak. Bl. Oak &c.

East On Random between sections 20 & 11  
 80.82 To the E. line of sec. 145 ft. N. of post,

T. 29 N. R. 2 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

C. S.

West

- Correct the line between Secs. 28 & 11  
 40.41 Set the gr. sur. cor. post from which  
     a W. Oak 15 in. dia., bears S 11 W 95 1/2<sup>th</sup> dist.,  
     & a B. Oak 20 " " " S 24 W 168 " "  
 80.82 To the section's corner,  
 The whole of this line runs through  
 open barrens, without a tree immediately  
 on the line, a few scattering groves of  
 W. & B. Oak &c. Land 3<sup>rd</sup> rate &c

North

- Between sections 28 & 3,  
 40.00 Set the gr. sur. cor. post from which  
     a W. Oak 30 in. dia., bears S 60 E 203 1/2<sup>th</sup>,  
     & a Do. 25 " " " S 89 E 318 1/2<sup>th</sup>;  
 69.60 To the st. boundary, 3 1/4<sup>th</sup> W. of post,  
 & when set post cor. to Secs. 28 & 3, fr. wh.,  
     a W. Oak 20 in. dia., bears S 74 W 50 1/2<sup>th</sup> dist.,  
     & a Do. 20 " " " S 74 E 55 " "  
 Land is extremely wet barrens scattering  
 W & B. Oak &c. April 5<sup>th</sup> 1834.

North

- Between sections 33 & 34  
 36.77 To a W. Oak 17 in. dia., with the line,  
 39.90 To a Creek 50 1/2<sup>th</sup> wide on W.,  
 40.00 Set a gr. sur. cor. post from which  
     a B. Oak 40 in. dia., bears S 36 E 54 1/2<sup>th</sup> dist.,  
     & a Do. 14 " " " S 21 E 67 " "  
 80.00 Set a post cor. to Secs. 27, 28, 33 & 34 -  
     a B. Oak 36 in. dia., bears S 84 W 730 1/2<sup>th</sup> dist.,  
     & a Do. 24 " " " N 1 E 55 1/2<sup>th</sup> "  
 Barrens wet & timbered seams, of W. & B. Oak,

East

On Ranges between sections 27 &amp; 34

T. 29 N. R. 2 W 2<sup>nd</sup>. New Ind,<sup>a</sup>

C. L.  
79.88 To the E. line of sec. 118 th. et. of post

West Correct the line between sec. 27 & 34  
39.94 Set the gr. sec. cor. post from which  
a W. Oak 18 in. dia., bears S 69° W 465 th. dia.,  
Va Do. 18 " " " N 76° W 594 " "  
79.88 To the sections corner. Land level & wet  
barren. & but little timber of any kind.

North Between sections 27 & 28,  
17.13 To a W. Oak 18 in. dia., in the line,  
30.67 " " B. Oak 20 " " " " "  
40.00 Set the gr. sec. cor. post from which  
a B. Oak 24 in. dia., bears N 23° W 409 th.,  
Va W. Oak 6 " " " N 32° E 108 " dia.  
80.00 Set a post cor. to sec. 21, 22, 27 & 28,  
a B. Oak 24 in. dia., bears S 86° W 724 th. dia.,  
Va W. Oak 20 " " " N 73½° W 724 " "  
Land level wet barren & but little  
timber of any kind

East On Randon between sections 22 & 27  
80.02 To the E. line of sec. 138 th. et. of post

West Correct the line between sec. 22 & 27  
40.01 Set the gr. sec. cor. post from which  
a W. Oak 20 in. dia. bears N 50° E 9 th.,  
Va Do. 20 " " " S 22° E 52 " dia.,  
80.02 To the sections corner,  
Land level & wet barren with some  
small groves of W & B. Oak &c.,

North Between sections 21 & 22,

Corner <sup>2</sup>

T. 29 N. R. 2 W. 2<sup>nd</sup>, New. Ind.

Co. L.	
29.18	To a W. Oak 36 in. dia. in the line,
40.00	Set the gr. sec. cor. post from which
	a W. Oak 14 in. dia. bears S 37° W 89 ft. dist,
	+ a Do. 12 " " " S 57½° E 132 " "
80.00	Set a post cor. to sec. 15, 16, 21 & 22, from
	a B. Oak 20 in. dia. bears N 27° W 6.50 ft. dist,
	+ a J. Oak 6 " " " N 36° W 4.55 " "
	Land is level & wet barrens & scarce of
	timber of any kind,
East	On Random between sections 15 & 22
79.60	To the E. line of sec. 136 ft. N. of post,
West	Correct the line between sections 15 & 22
39.80	Set the gr. sec. cor. post in mound
79.60	To the section's corner, Land is level
	wet barrens some small groves W. & B. Oak &c
North	Between sections 15 & 16
40.00	Set the gr. sec. cor. post from which
	a Hickory 12 in. dia. bears S 15° W 107 ft. dist,
	+ a Do. 10 " " " " N 61° E 148 " "
54.18	To a W. Oak 30 " " in the line,
80.00	Set a post cor. to sec. 9, 10, 15 & 16
	a B. Oak 18 in. dia. bears N 68½° W 296 ft. dist,
	+ a Do. 20 " " " " S 86½° E 488 " "
	Land level wet barrens, interspersed,
	with groves of timber - W. Oak & B. Oak &c,
East	On Random between sections 10 & 15
79.10	To the E. line of sec. 232 ft. N. of post,
West	Correct the line between sec. 10 & 15



T. 29 N. R. 2 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

- 6 L,  
 39.76 Set the gr. sur. cor. post from which  
 a Hickory 18 in. dia. bears S 41° E 23 1/2 ft.,  
 & a Do. 16 " " " S 32° W 52 " "  
 39.85 To a Hickory 14 " " in the line,  
 59.06 " " Do. 18 " " " " "  
 79.40 To the section corner, Land level &  
 sec. rate, & the timber is W. Oak, Hickory & 200 ft.  
 & the mud lth is same as on last line,

## North Between sections 9 &amp; 10

- 16.56 To a W. Oak 20 in. dia. in the line,  
 40.00 Set the gr. sur. cor. post from which  
 a Hickory 13 in. dia. bears S 56° E 158 ft.,  
 & a W. Oak 6 " " " N 76° W 213 " "  
 46.31 To a Hickory 18 " " in the line,  
 52.82 " " Creek 20 ft. wide cr. S. W.,  
 64.83 " " W. Oak 20 in. dia. in the line,  
 80.00 Set a post cor. to sec. 3, 4, 9, & 10 -  
 a W. Oak 20 in. dia. bears N 55° E 95 ft.,  
 & a Do. 24 " " " N 53° W 33 " "  
 Land dry - bearing 2<sup>nd</sup> rate & the timber  
 is W. Oak & Hickory &

## East On Random between section 3 &amp; 10

- 80.22 To the C. line of sec. 100 ft. N. of post,

## West Correct the line between sec. 3 &amp; 10

- 3.89 To an Aspen 20 in. dia. in the line  
 10.30 " a Red Oak 20 " " " "  
 40.11 Set the gr. sur. cor. post from which  
 a Hickory 12 in. dia. bears S 43° E 31 ft.,  
 & a Do. 18 " " " S 40° W 33 "  
 52.00 To a W. Oak 36 " " in the line,



S. 29 N. R. 2 W. 2<sup>nd</sup> New Ind.

61.26  
76.60 To a B. Oak 24 in. dia. in the line,  
80.22 To the Section corner. Land level & B,  
& Br. Oak Hickory & generally dry canopy,

North Between sections 3 & 4  
20.55 To a W. Oak 30 in. dia. in the line,  
37.16 To Left bank of Tippecanoe River on S,  
a B. Oak 20 in. dia. bears S 35 E 55 the dist.  
To Br. Oak 30 " " " S 20 W 64 " "  
41.41 Over river to Right bank. Set post Br. Oak 6 in.,  
To a B. Oak 30 in. dia. bears S 26 W 99 the dist.  
To a W. Oak 20 " " " N 21 E 107 " "  
58.33 To a B. Oak 25 " " in the line,  
65.95 To the North boundary of township,  
& Set post cor. to Sec. 3 & 4 from wh.,  
a B. Oak 25 in. dia. bears S 56 E 66 the dist.  
To Br. 25 " " " S 33 W 62 " dist.  
Land is sycamore & the timber is Hickory  
B. & W. Oak & Ash &c.

North Between sections 32 & 33,  
8.54 To a W. Oak 30 in. dia. in the line  
40.00 Set the gr. sec. cor. post from which  
a Br. Oak 25 in. dia. bears N 7 W 230 the dist.  
To a Hickory 20 " " " N 22 E 85 "  
42.66 To a Br. Oak 20 " " in the line,  
53.00 To a Creek 50 the. wide on S. W.  
73.93 " " B. Oak 20 in. dia. in the line,  
80.00 Set a post cor. to Sec. 28. 29. 32 & 33,  
a B. Oak 30 in. dia. bears S 61 W 162 the dist.  
To a W. Oak 30 " " " S 28 E 116 " "  
2<sup>nd</sup> rate canopy & some places, mostly  
Br & W. Oak timber, & some

T. 29 N. R. 2 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Co. Li.  
 East On Random between sec. 28 & 33,  
 79.04 To the Co line of sec. 160 th. S. of post

West Correct the line between sections 28 & 33  
 39.52 Set the gr. sec. cor. post from which  
     a B. Oak 20 in. dia. bears N 21 $\frac{1}{2}$  E 259 th,  
     & a Do. 30 " " " N 18 $\frac{1}{2}$  W 232 "  
 79.04 To the section cor. land wet barney  
     & timber when there is any, Oak &

## North Between sections 28 &amp; 29

2.69 To a Hickory 20 in. dia. in the line,  
 40.00 Set the gr. sec. cor. post from which  
     a W. Oak 14 in. dia. bears N 45 E 236 th. dia.,  
     & a B. Oak 20 " " " N 30 W 350 " "  
 42.40 To a W. Oak 20 in. dia. in the line,  
 64.87 " a Do. 36 " " " " "  
 76.24 " a Do. 18 " " " " "  
 80.00 Set a post cor. to sec. 20, 21, 28 & 29  
     a B. Oak 20 in. dia. bears N 76 E 57 th,  
     & a W. Oak 24 " " " S 41 W 120 " dia.,  
 Land is 3. rate manky barney & the  
 timber is B & W Oak &

East On Random between sections 21 & 28,  
 79.00 To the Co line of sec. 91 th. S. of post,

West Correct the line between sec. 21 & 28,  
 14.26 To a B. Oak 24 in. dia. in the line,  
 39.50 Set the gr. sec. cor. post from which  
     a Granite Rock - bears S 32 W 250 th,  
     & a B. Oak 20 in. dia. " N 83 W 650 "  
 54.10 To a Hickory 14 " " in the line,

475

T. 29 N. R. 2 W. 2<sup>nd</sup> New Ind.

6. S.  
79.50 To the section's corner, Land 3<sup>rd</sup> rate  
& the timber is hawkey, Hickory & Oak &c.

North Between sections 20 & 21

40.00 Set the gr. sec. cor. post from which  
a Br. Oak 8 in. dia. bears N 60° W 194 ft.,  
& a W. Oak 18 " " " S 32° E 224 "  
50.81 To a Hickory 20 " " in the line,  
77.84 " " W. Oak 24 " " " " "  
80.00 Set a post cor. to run, 16.17.20 & 21,  
a W. Oak 30 in. dia. bears S 52° E 100 ft.,  
& a Do. 24 " " " S 53° E 117 " inh,  
Dry hawkey 2<sup>nd</sup> rate & with grove, W. Oaks,

East On Random between sections 16 & 21  
79.19 To the E. line of sec, 69 ft. S. of post,

West Correct the line between sections 16 & 21

17.15 To a Br. Oak 18 in. dia. in the line,  
39.59 1/2 Set the gr. sec. cor. post from which  
a W. Oak 24 in. dia. bears N 47° - 118 1/2 ft.,  
& a Br. Oak 20 " " " N 40° E 176 " inh,  
79.19 To the section's corner, Land level &  
dry hawkey & the timber is W. & Br. Oak &c.

North Between sections 16 & 17,

40.00 Set the gr. sec. cor. post from which  
a Hickory 15 in. dia. bears N 11° W 300 ft.,  
& a Do. 12 " " " N 40° E 176 " inh,  
45.49 To a W. Oak 18 " " in the line,  
70.40 " " Do. 20 " " " " "  
80.00 " the section's corner, set post. cor. 16.17.8 & 9  
a Hickory 6 in. dia. bears N 68° W 34 ft.,

T. 29 N. R. 2 W. 2<sup>nd</sup>, Mos. Ind. "

C. L. & a B. Oak 36 in. dia., bears S 38 E 116 lks.,  
Land is level & 3<sup>rd</sup> rate barney, & the  
timber, Hickory, & Oak N. G. and  
April 8<sup>th</sup> 1834. R. Hanna D. S.

East On Random between sections 9 & 16  
79.15 To the E. boundy, of sec. 31 lks. S. 116

West Correct the line between sec. 9 & 16  
39.54 Set the gr. sec. cor. post from which  
a B. Oak 18 in. dia., bears S 64 W 525 lks.,  
& a Do. 20 " " " N 38 E 6.39 "  
40.70 To a W. Oak 20 " " in the line,  
79.15 To the section's corner,

North Between sections 8 & 9,

7.00 To Left bank of Tippecanoe River at post,  
a W. Oak 15 in. dia., bears S 31 E 350 lks.,  
& a B. Oak 25 " " " S 50 E 390 "  
12.22 To Right bank at a small B. Oak post,  
a B. Oak 4 in. dia., bears N 55 E 16 lks. dia.,  
& a W. Oak 4 " " " S 73 W 14 " "  
~~40.00~~ Set the gr. sec. cor. post from which  
a W. Oak 20 in. dia., bears S 26 E 34 lks.,  
& a W. Oak 4 " " " S 73 W 14 " "  
40.00 Set the gr. sec. cor. post from which  
a W. Oak 20 in. dia., bears S 26 E 34 lks.,  
& a B. Oak 24 " " " N 28 W 52 " dia.,  
64.61 To a Br. Oak 18 " " in the line  
80.00 Set a post cor. to sec. 4, 5, 8 & 9 from wh.,  
a B. Oak 24 in. dia., bears S 11 W 55 lks.,  
& a Do. 24 " " " N 22 E 18 "  
Land is level & W. Oak Bush Br. Oak Hickory, &c.,  
(U. G. same.)



T. 29 N. R. 2 W. 2<sup>nd</sup> Mer. Ind.

Co. L<sup>y</sup>  
 East On Random between sections 4 & 9  
 45.00 To Right bank of Tippecanoe River,  
 50.50 Over to Left bank  
 79.24 To the E. line of Sec. 67<sup>th</sup> A. of post,

West Correct the line between Sec. 4 & 9  
 29.00 To Left bank of Tippecanoe River. at post  
 where Oak 25 in. dia. bears S 30 E 27<sup>th</sup> dist,  
 & a Do. 33 " " " N 49 E 33 " "  
 33.05 Over to Right bank & set post from wh.  
 a W Oak - - - - - bears N 55 W 43<sup>rd</sup> dist,  
 & a Do. - - - - - S 86 W 390 " "  
 39.62 Set the gr. sec. cor. post from which  
 a W Oak - in dia. bears S 69 W 62<sup>th</sup> dist,  
 & a B. Oak - " " " N 36 E 62 " "  
 79.24 To the section corner. Land 3<sup>rd</sup> rate  
 the timber is W. B. Oak & Hickory &c,

North Between sections 4 & 5,  
 3.28 To a B. Oak 36 in. dia. in the line,  
 40.00 Set the gr. sec. cor. post from which  
 a B. Oak 20 in. dia. bears S 58 E 32<sup>th</sup> dist,  
 & a Do. 24 " " " S 66 W 59 " dist,  
 67.42 To the N. boundy. of Town 352<sup>th</sup> W.  
 of post, & set post cor. to Sec. 4 & 5  
 a B. Oak 20 in. dia. bears S 58 E 32<sup>th</sup> dist,  
 & a Do. 24 " " " S 66 W 51 " dist  
 3<sup>rd</sup> rate land generally dry barney & the  
 timber is W. Oak & B. Oak & Hickory in grove

North Between sections 31 & 32,  
 7.47 To a W. Oak 20 in. dia. in the line,  
 33.90 To a B. Oak 30 " " " " "

T 29 N. R. 2 W. 2<sup>nd</sup> Mer, Ind. a

C. L.

- 33.90 To a B. Oak 30 in. dia. in the line,  
 38.20 " " Do. 25 " " " "  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 30 in. dia. bears S 1/2 E 112 ths,  
 & a Do. 25 " " " S 40 W 96 in. dia.,  
 48.50 To a Creek 58 ths. wide on W,  
 54.36 " " W. Oak 30 in. dia. in the line,  
 62.60 " " Creek 58 ths. wide on S E,  
 70.00 " " Do. 58 " " " W  
 71.07 " " B. Oak 25 in. dia. in the line,  
 80.00 Set the post cor. to sec. 29, 30, 31 & 32  
 at B. Oak 8 in. dia. bears S 15 W 25 ths. dia.,  
 & a Do. 6 " " " S 64 E 38 " "  
 Land is 2<sup>nd</sup> rate barney & the timber  
 is W. Oak, B. Oak & Hickory &

East On Random between sections 29 & 32  
 80.09 To the E. line of sec. 6 ths. S. of post,

- West Correct the line between sec. 29 & 32  
 14.84 To a B. Oak 25 in. dia. in the line,  
 17.15 " " Br. Oak 20 " " " "  
 40.04 1/2 Set the gr. sec. cor. post from which  
 a W. Oak 20 in. dia. bears S 42 W 200 ths. dia.,  
 & a Do. 18 " " " S 1 E 186 " "  
 80.09 To the sections corner, Land is 2<sup>nd</sup> rate  
 Barney, Bb. Oak, Br. Oak, Hickory &

- West On Random between sections 30 & 31  
 67.80 To Left bank of Tippecanoe river,  
 71.30 To the Right bank of Do. "  
 80.85 To the W. line of sec. & Town, 30 ths. S. of post.

T. 29 N. R. 2 W. 2<sup>nd</sup> New Ind.C. 26  
East

Correct the line between Sec. 30 &amp; 31

9.40

To the Right bank of Tippecanoe River -

a Br. Oak 6 in. dia. bears S 86° 67' W. dist 7

a Br. Oak 8 " " " N 3½° E 622 "

12.90

To Left bank of River &amp; set post,

a Spruce 20 in. dia. bears S 41° E 33' W.

a Spruce 30 " " " N 42° W 33' dist

40.47½

Set the gr. sec. cor. post from which

a W. Oak 24 in. dia. bears S 46° W 39' W.

a Do. 36 " " " N 86° 37' W. dist

80.85

To the section corner, Land level &amp;

2<sup>nd</sup> rate & the timber. 4' W. & Br. Oak -

Spruce &amp; Sycamore, Walnut &amp; Hickory

N. E. is covered with vines near river,

## North Between Sections 29 &amp; 30

22.96

To a Br. Oak 10 in. dia. in the line,

40.00

Set the gr. sec. cor. post from which

a W. Oak 20 in. dia. bears N 88½° E 88' W.

a Br. Oak 36 " " " S 62° W 80' dist

80.00

Set a post cor. to sec. 19, 20, 29 &amp; 30,

a W. Oak 24 in. dia. bears S 41½° E 314' W.

a W. Oak 18 " " " S 15° E 280 "

Land is level, mostly barney & thorny  
timbered with W. Br. Oak & Hickory

## East On Random between sections 20 &amp; 29

79.71

To the E. line of sec. 12 W. N. of post,

West

Correct the line between Sec. 20 &amp; 29

39.85

Set the gr. sec. cor. post from which

a Br. Oak 24 in. dia. bears S 22½° W 172' W.

a Do. 20 " " " - 88½° W 303 "





T. 29 N. R. 2 W. 2<sup>nd</sup> Now, Ind?

C. &amp; L.

East On Random between sections 17 & 20  
 79.40 To the E. line of sec, 59 lks. et. of post,

West Correct the line between sections 17 & 20  
 39.70 Set the gr. sec. cor, post from which  
     a W. Oak 34 in. dia, bears N 57 E 30 lks. dist,  
     & a Do. 30 " " " N 78 W 125 " "  
 42.19 To a W. Oak 30 " " in the line,  
 45.69 " " Do. 12 " " " "  
 79.40 " the sections corner,  
     Land level & dry barney, & few trees of  
     W. & B. Oak. & wood, etc. same, when is any

West On Random between sections 18 & 19  
 18.64 To the Left bank of Tippecanoe River,  
 22.92 To the Right bank " Do. "  
 79.94 To the W. boundary, 30 lks. et. of post,

East Correct the line between sections 18 & 19  
 2.97 To a B. Oak 30 in. dia. in the line,  
 39.94 Set the gr. sec. cor, post from which  
     a Hickory 18 in. dia, bears S 62 W 442 lks,  
     & a W. Oak 18 " " " N 48 E 436 "  
 57.02 To the Right bank of Tippecanoe River setp,  
     a B. Oak 35 in. dia, bears S 29 W 38 lks. dist,  
     & a Do. 35 " " " N 29 E 700 " "  
 61.30 To Left bank of Tippecanoe at a  
     Black Oak 10 in. dia. cor. tree,  
 79.94 To the sections. Land dry barney & 3<sup>rd</sup> rate  
     & the timber is Hickory W & B. Oak & the wood,  
     etc. is Hazel, Oak & Hickory. —

North Between sections 17 & 18,

E. 29 N. R. 2 W. 2<sup>nd</sup>. New, Ind<sup>a</sup>.

- 6.50 To a B. Oak 24 in. dia. in the line,  
 20.45 " " W. Oak 12 " " " "  
 39.10 " " W. Oak 12 " " " "  
 40.50 Set the gr. sec. cor. post from which  
 a W. Oak 24 in. dia. bears S 31 E 8 1/2 M. dist,  
 & a Do. 24 " " " S 43 W 31 " "  
 66.21 To a W. Oak 20 " " in the line,  
 70.30 To the Left bank of Tippecanoe & set post,  
 a W. Oak 20 in. dia. bears N 78 E 45 1/2 M. dist &  
 a Do. 15 " " " S 31 E 54 " "  
 74.93 To the Right bank of Tippecanoe at a  
 Sycamore tree for corner,  
 a B. Oak 5 in. dia. bears - 57 E 27 1/2 M. dist,  
 & a Hickory 15 " " " N 45 W 31 " "  
 79.30 To a Creek 20 M. wide cor. S. E.,  
 80.00 Set a post cor. to sec. 7, 18, 17 & 18 —  
 a B. Oak 30 in. dia. bears N 57 1/2 W 112 M. dist,  
 & a Do. 24 " " " N 33 1/2 E 70 " "  
 Land is level & dry bearing from wh.,  
 a B. & W. Oak, Hickory, Sycamore &c. & the  
 mud, etc. is the same where there is any

- 
- East On Random between sec. 8 & 17  
 9.31 To a Creek 20 M. wide cor. S. W.,  
 10.75 To the Right bank of Tippecanoe  
 79.22 To the E. line of sec. 72 M. N. of post,  
 West Correct the line between sec. 8 & 17  
 5.88 To a Br. Oak 36 in. dia. in the line,  
 20.25 To Left bank of Tippecanoe & set post,  
 a B. Oak 20 in. dia. bears N 11 W 45 1/2 M. dist,  
 & a Do. 36 " " " S 60 E 80 " "  
 39.61 Dr. sec. cor. is in the River,  
 68.47 Over the River to Right bank.

T. 29 N. R. 2 W. 2<sup>nd</sup> New Ind.

6. 51 a B. Oak 24 in dia, bears N 68 $\frac{1}{2}$  E 117 $\frac{1}{2}$  M. dist,  
 & a Do. 30 " " " N 53 $\frac{1}{2}$  E 144 " "  
 69.91 To a Creek 20 M. wide en. S.W.,  
 79.22 To the sections corner, a great part of this  
 line is in Tippecanoe river. Land on  
 each side is 2<sup>nd</sup> rate. Dry barrens & the timber  
 is B.W. & Br. Oak &c &c,

West On Random between sections 7 & 18  
 78.85 To the W. boundary, 43 M. N. of post,

East Correct the line between sections 7 & 18,  
 38.85 Set the gr. sec. cor. post from which  
 a B. Oak 12 in dia, bears N 6 $\frac{1}{2}$  E 154 M. dist,  
 & a Do. 6 " " " S 84 $\frac{1}{2}$  E 147 " "  
 78.85 To the sections corner,  
 Land level & wet barrens, & B & W. oak &c  
 April 11<sup>th</sup> 1834,

North Between sections 7 & 8,

- 40.00 Set the gr. sec. cor. post from which  
 a B. Oak 24 in dia, bears S 55 $\frac{1}{2}$  E 90 M. dist,  
 & a Do. 18 " " " S 49 $\frac{1}{2}$  W 113 " "  
 47.55 To a B. Oak 20 " " in the line,  
 62.62 To a Creek 24 M. wide en. SE  
 72.72 " " W. Oak 18 in dia, in the line,  
 80.00 Set a post cor. to sec. 5, 6, 7 & 8, from wh,  
 a W. Oak 20 in dia, bears S 29 $\frac{1}{2}$  E 72 M. dist &  
 & a Do. 12 " " " S 67 $\frac{1}{2}$  W 134 " "  
 Land level & dry barrens, W & B Oak &c,

East On Random between sections 5 & 8,  
 79.82 To the E. line of sec. 9, 97 M. N. of post.

T. 29 N. R. 2 W. 2<sup>nd</sup> New, Ind. a

C. L.  
 West Correct the line between sec. 548,  
 39.91 Set the gr. sec. cor. post from which  
 a W. Oak 20 in dia. bears at 54 W 232<sup>th</sup>,  
 & a Dr. 20 " " " S 79 W 336<sup>th</sup>  
 79.82 To the section corner, Land dry barren  
 & scarce of timber a few B & W oaks,

West On Random between sec. 647,  
 78.50 To the W. boundy, 5<sup>th</sup> N. of post.

East Correct the line between sec. 647,  
 38.50 Set the gr. sec. cor. post from which  
 a B. Oak 20 in dia. bears at 54 W 106<sup>th</sup>,  
 & a W. Oak 24 " " " S 81 E 324<sup>th</sup>  
 78.50 To the section corner,  
 Land is 3<sup>rd</sup> to level & scarce of timber  
 a few W. & Bl. Oaks, on the line,

North Between sections 546,  
 9.77 To a B. Oak 12 in dia. in the line  
 36.45 " a Bl. Oak 20 " " " " "  
 40.00 Set the gr. sec. cor. post from wh,  
 a B. Oak 10 in dia. bears at 35 W 27<sup>th</sup>,  
 & a Dr. 8 " " " at 51 W 35<sup>th</sup>,  
 65.83 To the N. boundy. of Town 3.52<sup>th</sup> W,  
 of post. set post cor. to sec. 546,  
 a B. Oak 24 in dia. bears at 46 E 142<sup>th</sup>,  
 & a W. Oak 20 " " " S 65 E 310<sup>th</sup>. dia,  
 Land level wet barren with groves of  
 J. Oak, B. Oak & W. Oak & but little mud, etc.,  
 of any kind. April 12<sup>th</sup> 1834.

This book is a true copy of original file



T. 29 N. R. 2 W. 2<sup>nd</sup>. New, Ind.<sup>a</sup>.

of Town T. 29 N. R. 2 West 2<sup>nd</sup>, New, Indiana  
except the certificates of the chain men,  
Robert Hanna, Dep. Sur.

Meanders of Tippecanoe River,  
(Supposed to) Begin in N. boundary, on  
Left bank, & Down stream. thence  
In sec. 3,

Comm C. L.	
S 65 $\frac{1}{2}$ ° W	2.69
N 42° W	8.48
S 30° W	6.26
S 32° W	4.26
S 36° W	5.23
S 55° W	10.72
S 68 $\frac{1}{2}$ ° W	4.90
S 85 $\frac{1}{2}$ ° W	5.00
N 68° W	7.21
N 85° W	2.90
S 66° W	5.50
S 55° W	3.00
S 72° W	77

To post between sec. 3 & 4

S 59 $\frac{1}{2}$ ° W	3.89
S 61 $\frac{1}{2}$ ° W	3.69
S 65 $\frac{1}{2}$ ° W	8.06
S 67° W	7.71
S 35 $\frac{1}{2}$ ° W	5.14
S 10° W	4.41
S 7° W	10.98
S 22 $\frac{1}{2}$ ° W	6.45
S 19 $\frac{1}{2}$ ° W	1.76

In sec. 4

To post on line between sec. 4 & 9

S 20° W	9.63
---------	------

In section 9

T. 29 N. R. 2 W. 3<sup>rd</sup> Mer. Ind.

Come to L. S 23 $\frac{1}{2}$ W 14.07 S 42 W 13.25 S 27 W 12.50 S 26 $\frac{1}{2}$ W 14.00 S 52 $\frac{1}{2}$ W 25.50 S 61 $\frac{1}{2}$ W 2.98	Meanders continued, In section 9,  To post between sections 8 & 9
---	--

S 66 W 7.66 S 74 W 9.17 S 73 W 4.17	In sec. 8, To an island To post on line between 8 & 17
---	--

S 55 W 8.11 N 80 $\frac{1}{2}$ W 9.00 N 74 W 8.26 S 84 W 12.20 S 52 W 4.50 S 50 W 4.50 S 65 W 5.60 N 76 W 5.30 N 61 W 2.20 S 68 $\frac{1}{2}$ W 8.74	In sec. 17     To an island   To post between sec. 17 & 18,
---	---

S 71 W 6.30 S 74 $\frac{1}{2}$ W 8.46 S 78 W 8.57 S 71 W 2.94 S 8 $\frac{1}{2}$ W 6.74 S 28 E 7.54 S 21 E 10.60 S 13 E 6.94 S 8 $\frac{1}{2}$ W 4.68, S 16 W 14.67	In sec. 18,
---	-------------

T. 29 N. R. 2 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Course C. L. Meanders continued,  
 S 14 E 13.20 In sec. 18,  
 S 20 E 1.47 To port on line between sec.,  
 18 & 19,

S 15 E 2.09 - In sec. 19

S 10 W 1.93,

S 9 E 3.17

S 21 W 8.44

S 53 E 3.99

S 58 E 15.15

S 52 W 17.25

S 45 E 7.44

S 32 W 2.69

S 36 E 3.41

To our island

S 48 E 10.61

S 6 E 8.24

S 32 W 9.54

S 52 W 6.11

S 12 W 5.76

S 21 E 1.21

To port between sec., 19 & 30

S 59 E 12.21

In sec. 30,

S 26 E 4.13

To our island

S 19 E 4.00

S 10 E 6.20

S 9 W 4.58

S 21 W 5.75

S 27 E 10.49

S 39 W 10.71

S 39 E 5.60

S 25 W 3.68

S 9 E 11.04

S 8 E 7.50

S. 29. N. R. 2 W. 2<sup>nd</sup>. Mer. Ind.

Course	Li. Le.	Meanders continued,
S 15° W	2.98	In section 30
S 7½° E	3.44	To post in line between sec. 30 & 31
S ½° W	2.40	In sec. 31
S 17½° W	4.15	
S 34° W	3.91	
S 53° W	4.65	To mouth of Indian creek 2 chains wide
S 62° W	7.31	To post in Range line between Ranges 2 & 3 W.
S 25° W	8.28	Meanders of Tippecanoe River
S 48° W	3.37½	Begin on N. boundary, on right bank, down stream
S 38½° W	12.50	In sec. 3,
S 62° W	9.34	
S 73½° W	4.50	
S 58° W	7.15	
S 89½° W	3.50	
S 67° W	6.74	
S 57½° W	2.62	To Oak cr., between sec. 3 & 4
S 56° W	8.04	In sec. 4
S 70° W	15.12	To a creek 1 chain wide
S 43° W	9.40	
S 12° W	6.11	
S 6° W	11.05	
S 23° W	9.46	To post between sec. 4 & 9
S 38° W	9.74	In sec. 9
S 1° W	5.61	



489

T. 29 N. R. 2 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Cous. C. L. Meander Continued,

S 92° W 5.18

S 40° W 7.88

S 58° W 5.76

S 35° W 7.36

S 11° W 10.85

S 28° W 9.58

S 49° W 4.25

S 44° W 6.16

Do. 7.12

S 48° W 6.23

To Oak cr., between sec. 8 &amp; 9,

S 76° W 2.86

In sec. 8,

S 69° W 12.93

S 74° W 5.47

S 69° W 7.10

S 81° W 10.31

S 84° W 14.50

S 82° W 10.25

S 74° W 5.34

S 57° W 2.83

To post between section 8 &amp; 17

S 70° W 6.97

In sec. 14,

S 53° W 3.15

S 65° W 1.87

To a Spruce cr. between sec. 17 &amp; 8,

S 81° W 5.44

In sec. 18,

S 71° W 8.00

To a Creek 12 ft. wide,

S 72° W 14.50

S 47° W 6.58,

S 25° W 9.17

S 38° E 12.30

S 16° E 10.99

T. 29 N. R. 2 W. 2<sup>nd</sup> Mer, Ind.

Course	Li. L.	Meanders continued,
S 1 W	6.60	In sec, 18,
S 27 W	5.50	
S 22 W	5.16	In sec, 18,
S 11 E	2.55	
S 12 E	12.30	
S 10 E	2.71	To post between sec, 18 & 19

S 2 W	3.62	In sec, 19
S 21 1/2 W	6.09	
S 57 W	15.32	
S 47 1/2 W	8.82	
S 50 W	7.47	
S 51 1/2 W	15.16	
S 4 1/2 W	8.74	
S 20 E	4.33	
S 52 1/2 E	7.64	
S 4 1/2 E	5.30	
S 15 1/2 W	4.35	
S 47 W	3.83	
S 20 W	5.22	
S 14 E	4.66	To post between sec, 19 & 30,

S 20 E	3.53	In sec, 30,
S 36 E	11.97	
S 46 E	6.88	
S 8 E	5.50	
S 29 1/2 W	10.17	
S 27 1/2 W	7.67	
S 32 W	6.20	
S 37 W	6.80	
S 20 W	8.81	
S 13 1/2 W	7.89	

491

T. 29 N, R. 2 W, 3<sup>rd</sup> Mer. Ind.

Course C. L. Meanders Continued,

S 11 $\frac{1}{2}$  W 6.80

S 6 W 4.90

S 6 E 4.10

To post in line between sec. 30 &amp; 31

S 23 W 5.35

In sec. 31

S 42 W 5.97

S 64 W 3.83

To post in Range line,  
between sec. 28 & 31.Surveyed in April 1834 by  
Robert Hanna, Dep. Sur.

T. 29 N. R. 2 W. 2<sup>d</sup> Mer. Ind.

I certify that the foregoing transcript  
of field notes of Township 29 North  
Range 2 West 2<sup>d</sup> Mer. Indiana, has  
been compared with the original in  
this office & found to be correct,

C. S. Haines, Sur. Genl,  
Surveyor General's Office,  
Cincinnati, March 10<sup>th</sup> 1842, 3